
14
1
15
2
AccuLoad II
13
33
10
9
8
KDC
KDC.net
12
11




16
17
18
19
20
21
22
23
24
EAAI

Optional Boards

AICB

29



Prom Puller

32

BSE Board Assembly
(Q) Hardware Only

25



EAAI with Comm Flash

34

Item		Description	Qty.	Standard
1		Keypad Assembly	1	552311-001
2		Complete Button Set	1	552337-002
		Button, Number One	1	552339-001
		Button, Number Two	1	552339-002
		Button, Number Three	1	552339-003
		Button, Number Four	1	552339-004
		Button, Number Five	1	552339-005
		Button, Number Six	1	552339-006
		Button, Number Seven	1	552339-007
		Button, Number Eight	1	552339-008
		Button, Number Nine	1	552339-009
		Button, Zero	1	552339-010
		Button, Enter	2	552338-005
		Button, Clear	2	552338-004
		Button, Start	2	552338-003
		Button, Stop	2	552338-006
		Button, Set	2	552338-002
		Button, Print	2	552338-001
3		*Spring	22	643195-404
4		*Washer, Flat	7	060553-001
5		*Cover, Keypad	1	552321-001
6		*Guide, Keypad	1	552132-001
7		*Screw, #16-32 x 1/4"	7	644312-401
8		Legend Panel	1	554453-001
9		Board Assembly, Computer	1	
	R@1	KDC		236060-150-001
		KDC.net w/ ALX1 Firmware		236060-152-ELX1
		KDC.net w/ ALX2 Firmware		236060-152-ELX2
		KDC.net w/ ALX3 Firmware		236060-152-ELX3
		KDC.net w/ ALX4 Firmware		236060-152-ELX4
		KDC.net w/ ALX5 Firmware		236060-152-ELX5
		KDC.net w/ ALX6 Firmware		236060-152-ELX6
10		KDC, KDC.net Connector Kit	1	236066-101
11		Keypad Board, ATKB	1	235116-101
12		O Ring Cord	1	550559-002
13		Ribbon Cable	1	235243-101
14		Display with 5" Cable	1	236068-101
15		Display with 7.5" Cable	1	236068-102
16	R@1,2	Board Assembly, EAAI	1	236046-150-001
17		EAAI Connector Kit	1	236052-101
18		Analog Modules		
		RTD	Optional	235562-101
		4-20 mA Input	Optional	235553-101
		4-20 mA Output	Optional	235565-101
		1-5 Vdc Input	Optional	235559-101
		1-5 Vdc Output	Optional	235568-101
19		PIB Board	2	236062-101
20		AC Inputs (EAAI)	5	644695-410
		AC Inputs (BSE)	4	644695-410
21		AC Outputs (EAAI)	11	644695-419
		AC Outputs (BSE)	16	644695-419
22		EAAI Fuse	1	644588-473
23		24 Vdc Power Cable Assembly w/o Connections	1	236069-101
24		Ribbon Cable	1	236031-110
25	R@1,2	Board Assembly, BSE (Q Hardware Option)	1	236077-150-001
26		Ribbon Cable	1	236031-111

Item		Description	Qty.	Standard
27		BSE Connector Kit	1	236079-101
28		BIOB	1	235962-101
29		AICB Board (Optional)	1	236087-101-001
30		AC Outputs	20	644695-420
31		AICB Connector Kit	1	236091-101
32		Prom Puller	1	644880-402
33	**	Display Firmware (U5 & U6) (KDC only)	1	554414-022
34		SDI (Memory Expansion)	1	236141-101
35	*	“ALX1” Firmware Kit (For Non - .Net AIII)	1	554414-017-LX1
36	*	“ALX2” Firmware Kit (For Non - .Net AIII)	1	554414-017-LX2
37	*	“ALP1” Firmware Kit (For Non - .Net AIII)	1	554414-027-LP1
38	*	“ALP2” Firmware Kit (For Non - .Net AIII)	1	554414-027-LP2
39	*	Cover Bolt M8 - 1.25 x 35 mm	26	644824-405
40	*	Cover Bolt M8 - 1.25 x 60 mm w/Seal Hole	2	550227-002

R@1 Replacement KDC, EAAI and BSE boards are supplied without firmware.

R@2 Replacement EAAI and BSE is shipped without the PIB and AC Inputs and Outputs. The firmware, PIB and AC Inputs and Outputs are taken off the respective defective board and reinstalled on the new board in the field.

* Not Illustrated.

** Required for all units with Rev. B displays and Firmware prior to 10.13. Included in KDC firmware kits when complete kit is ordered.

Technical Support

Contact Information:
Field Service Response Center
24/7 Technical Support/Schedule a Technician: 1-844-203-4014 System Installation Supervision, Start-Up, Training, and Commissioning Services Available

The specifications contained herein are subject to change without notice and any user of said specifications should verify from the manufacturer that the specifications are currently in effect. Otherwise, the manufacturer assumes no responsibility for the use of specifications which may have been changed and are no longer in effect.

USA Operation
1602 Wagner Avenue
Erie, Pennsylvania 16510 USA
P:+1 814.898.5000

Germany Operation
Smith Meter GmbH
Regentstrasse 1
25474 Ellerbek, Germany
P:+49 4101 304.0

© Guidant Corporation 2025 All rights reserved.

www.GuidantMeasurement.com