


Valve, Hydraulic Power Chamber, Model 200PC, 3-inch

Bulletin P0003032 Issue/Rev. 0.0 (9/15)



We put you first.
And keep you ahead.



Item		Description	Quantity	Part Number
1	R	Bearing, Stem	1	Note 1
2	R	Body	1	Note 1
3	R	Cover	1	Note 1
4	+R	Diaphragm:		
		Buna-N	1	507391-001
		Low Swell Buna	1	507391-008
		Viton	1	507391-002
		Gylon	1	507391-007
5		Nut, Cover, 7/16"-14, UNC-2B	8	006618-002
6		Nut, Stem:		
		Current Design, 1/2"-20, UNF-2B	2	640671-001
		Previous Design, 1/2"-20, UNC-2B	2	640819-003
7	+	O-Ring, Bearing:		
		Buna-N	1	640913-006
		Viton	1	641276-406
8	+	O-Ring, Bearing:		
		Buna-N	1	640887-009
		Viton	1	640798-420
9	+	O-Ring, Diaphragm:		
		Buna-N	2	640887-008
		Viton	2	640798-414
		PTFE ¹	2	645487-403
10	+	O-Ring, Retainer:		
		Low Swell Buna	1	507568-008
		Viton	1	507568-003
		PTFE ¹	1	507568-007
11	+	O-Ring, Seat:		
		Buna-N	1	640887-423
		Viton	1	640798-436
		PTFE ¹	1	645487-404
12	+	O-Ring, Stem:		
		Buna-N	1	640913-003
		Viton	1	641276-403
		PTFE ¹	1	645487-405
13	+R	O-Ring, Wafer Insert	1	Note 1
14		Plate, Arrow Flow	1	508553-001
15		Plate, Backup (Current Design Only)	2	529437-001
16		Plug, Pipe, 1/8" NPT:		
		Current Design	2	644522-401
		Previous Design	2	006073-002
17		Plug, Pipe, 3/8" NPT	2	003131-402
18		Plug, Pipe, 1/2" NPT	5	006505-002

Item		Description	Quantity	Part Number
19	R	Retainer, O-Ring:		
		Standard, Ductile Iron	1	507692-003
		PTFE ¹	1	507692-006
20		Screw, Truss Head, #10-32 x 1/4"	2	009544-401
21	R	Seat, Bronze	1	528432-002
22		Spring:		
		Standard	1	507756-001
		With Gylon Diaphragm	1	525351-003
23	R	Stem	1	Note 1
24		Stud	8	Note 1
25		Wafer, Insert	1	Note 1
26	R	Washer, Diaphragm, PTFE ¹	2	529436-006
27		Washer, Lock Spring:		
		Current Design	2	002788-401
		Previous Design	2	643164-404
28	R	Washer, O-Ring:		
		Standard - Ductile Iron	1	528914-001
		PTFE ¹	1	528914-004
	+	Recommended stock.		
	R	Indicates change since last revision.		
Note 1		Not available as spare part.		

¹ Polytetrafluoroethylene (PTFE).



**We put you first.
And keep you ahead.**

Revisions included in P003032 Issue/Rev. 0.0 (9/15):

Replaced P1047.03X which has been made obsolete. Removal of several part numbers, indicated by "R"; Addition of Note 1.

The specifications contained herein are subject to change without notice and any user of said specifications should verify from the manufacturer that the specifications are currently in effect. Otherwise, the manufacturer assumes no responsibility for the use of specifications which may have been changed and are no longer in effect.

Contact information is subject to change. For the most current contact information, visit our website at www.fmctechnologies.com/measurementsolutions and click on the "Contact Us" link in the left-hand column.