



GUIDANT

# Sening<sup>®</sup> TruckEye<sup>™</sup> Event Viewer

Manage and track your tank truck fleet



# Scalable, Map-Based Web Application

Logistics managers in oil companies, fleet operators, and dispatchers need to improve cost and streamline the transportation of liquids in tanker trucks. They need to obtain real time information and prevent or detect loss of product.

Guidant's Sening TruckEye Event Viewer is a scalable, map-based web application. Combined with Sening equipment installed on tanker trucks, it enables you to monitor your fleet using a smart phone or PC, without needing to install additional software.

The combination of the TruckEye Event Viewer and Sening equipment installed on tankers guarantees that all components of your complete Sening solution have been thoroughly tested as an integrated system and are working together as intended.

TruckEye has been implemented successfully in several countries around the world.



## Features and Benefits

### Web Application

No need to install software

### Event Alerts

Receive alerts by email

### Measurements

Loaded and delivered quantities

### Vehicle Tracking

Understand where your trucks are at any time

### Configurable

Adaptable options to meet your fleet needs

### Reports

Extensive possibilities to filter, sort, and export

# Operating Environment and Scalability Options

Sening's system is flexible and enables you to modify and upgrade options as needed. Alternative solutions are possible for existing tanker trucks with fittings from other manufacturers; please contact Sening to discuss your project's details.

The following option combinations are possible.

Monitoring Option		Equipment on Tanker							Transmission		Information in TruckEye									
		MultiTask	MSSPD-N2 or MFSI ***	NM2WET2	NS-2F	SPD Sensors or Fittings	RFID Sensors for Cabinet Doors	MultiFlow Legacy	MultiSeal Legacy	MultiLevel Legacy	MultiTask (includes EMIS4 functionality)	EMIS4	GPS and GSM Antennas	Current Location	Average Speed	Path Driven	Geofencing* for Sensors	Measured Volumes	Reports, Exports Possibilities	Electronic Sealing
1	Basic											1	1	•	•	•			•	
2	Sensor Monitoring		2	2	12	40	2					1	1	•	•	•	•		•	
3	MultiFlow							2				1	1	•	•	•	•	•	•	
4	MultiFlow Sensor Monitoring		1			20	2	2				1	1	•	•	•	•	•	•	
5	MultiSeal		2	2	12	40	2		1			1	1	•	•	•	•	•	•	•
6	MultiSeal MultiFlow		2	2	12	40	2	2	1			1	1	•	•	•	•	•	•	•
7	MultiLevel									1		1	1	•	•	•	•	•	•	
8	MultiSeal MultiLevel		2	2	12	40	2		1	1		1	1	•	•	•	•	•	•	•
9	MultiTask**	1	2	2	12	40	2	F	F	F	F		1	•	•	•	•	•	•	•

## NOTES:

\*Geofencing: Alarms for sensor changes, measurements, or other predefined events outside geographical areas defined as safe.

\*\*Different combinations possible; MultiTask is a flexible platform that can control Sening systems.

\*\*\*Maximum of 20 sensors per interface; MFSI is used only for MultiFlow sensor monitoring.

F stands for "functionality"; for example, MultiFlow functionality included in MultiTask.

Numbers stand for the maximum number of devices that can be installed for a certain option per tanker.

NM2WET2: Maximum of six sensors per interface.

## Configuration Example

- Sensor Monitoring (option 2 in the table)
- Tanker with four compartments; bottom loading; discharge via API couplers
- 1\*MSSPD-N2
- 4\*VKV2M-I
- 4\*MANLID20A-SPD
- 1\*NM2WET2
- 4\*NS-2F
- 1\*EMIS4
- 1\*GPS and GSM antennas
- 1\*TruckEye

## About Guidant

As the undisputed leader in liquid and gas custody transfer solutions with the largest global install base, Guidant's legacy is built on more than 90 years of expertise, accuracy, reliability, and best-in-class technologies. We are a private company focused on the measurement solutions business, serving emerging and established energy markets across the globe.

### Corporate Website

[GuidantMeasurement.com](https://GuidantMeasurement.com)

### Guidant Knowledge Base

[KB.GuidantMeasurement.com](https://KB.GuidantMeasurement.com)

### Email

[Guidant\\_Communications@  
GuidantMeasurement.com](mailto:Guidant_Communications@GuidantMeasurement.com)

### Eastern Hemisphere Measurement Products Sales

+49 4101 304.0

### Service and Support

- **Eastern Hemisphere**  
[ResponseCenter.MS@  
GuidantMeasurement.com](mailto:ResponseCenter.MS@GuidantMeasurement.com)
- **Western Hemisphere  
24/7 Service and Support**  
[MS.ResponseCenter@  
GuidantMeasurement.com](mailto:MS.ResponseCenter@GuidantMeasurement.com)  
+1 844.203.4014